Index to
JOURNAL OF BASIC ENGINEERING

Volume 82, 1960

The Journal of Basic Engineering for 1960 was issued quarterly in March, June, September, and December.

Issue	Page Numbers
March	1–250
June	251–504
September	505–758
December	759–982

A

Accinelli, J. B.
Importance of spinning friction in thrust-carrying ball bearings (D) 300

Aerodynamics
Incidence and deviation-angle correlations for compressor cascades 575

Allen, C. M.
Measurement of oil-film thickness between disks by electrical conductivity (D) 16

Alloys. *See* Metal Testing—Fatigue, Steel Alloys

Alpay, Saip
Indentation of metals by cavitation (D) 192

Anderson, William J.
Effect of hardness, surface finish, and grain size on rolling-contact fatigue life of M-50 bearing steel (D) 294

Andreini, G. J.
Importance of spinning friction in thrust-carrying ball bearings (D) 300

Antifriction Bearings
Effect of ball bearing steel structure on rolling friction and contact plastic deformation 302
General theory for elastically constrained ball and radial roller bearings under arbitrary load and speed conditions 309
Importance of spinning friction in thrust-carrying ball bearings 295
Note on the influence of elastic compliance on sliding friction in ball bearings 899

Ash, R.
General flow graph technique for the solution of multiloop sampled systems. 360

Ausman, J. S.
Torque produced by misalignment of hydrodynamic gas-lubricated journal bearings 335

Automatic Control
Bang-bang versus linear control of second-order rate-type servomotor 66
Control system analysis and design via the "second method" of Lyapunov
I. Continuous-time systems 371
II. Discrete-time systems 394
Design and analysis of a servovalve with flow feedback 73
Dynamics of heat exchangers and their models 489
General flow graph technique for the solution of multiloop sampled systems 360
New approach to linear filtering and prediction problems 35
Shannon's theory and feedback systems. 46
Some general considerations in process optimization 113

B

Bagley, Fenton L., Jr.
Machining characteristics of leaded steel 347

Bahniuk, E.
Design and analysis of a servovalve with flow feedback 73

Bained, W. Douglas
Viscous dispersion in water hammer (D). 763

Ball, James W.
Cavitation effect on the discharge coefficient of the sharp-edged orifice plate (D) 6

Ball Bearings. *See* Antifriction Bearings

Barrish, Robert A.
Effect of ball bearing steel structure on rolling friction and contact plastic deformation (D) 307

Baughman, R. A.
Effect of hardness, surface finish, and grain size on rolling-contact fatigue life of M-50 bearing steel 287

Bearings
Bearing oil-ring performance 327
Effect of hardness, surface finish, and grain size on rolling-contact fatigue life of M-50 bearing steel 287
Elastic and damping properties of cylindrical journal bearings (addendum) ... 249
Elastic orifice for gas bearings 980
Flow parameters in hydrostatic lubrication for several bearing shapes 257
Hydrostatic gas bearings 276
Sommerfeld solution for finite bearings with circumferential groves 321
Theoretical and experimental analysis of hydrostatic thrust bearings 505
Torque produced by misalignment of hydrodynamic gas-lubricated journal bearings 335

Beaudien, S. J.
Importance of spinning friction in thrust-carrying ball bearings (D) 300

Beck, Cyrus
Pressure losses in smooth pipe bends (D) 140

Beitler, S. R.
Small-diameter-orifice metering (D) 738

Bellows. *See* Shells

Beloborodov, A. V.
Some corrosion effects in accelerated cavitation damage (D) 802

Benedict, R. P.
Response of a pressure-sensing system ... 482

Benson, David B.
Selection of length and head scales for cavitation tests (D) 789

Beninger, T. H.
Precise measurement of clothes insulation during controlled operation of the human (D) 524

Ber, Abraham
Friction characteristics of sliding surfaces undergoing subsurface plastic flow 342

Bergman, Donald J.
Dynamics of heat exchangers and their models (D) 500

Berman, Irwin
Cyclic operation of pressure piping with γ heating (D) 451

Bertram, J. E.
Control system analysis and design via the "second method" of Lyapunov
I. Continuous-time systems 371
II. Discrete-time systems 394

Bisson, Edmond E.
Friction characteristics of sliding surfaces undergoing subsurface plastic flow (D) 345

Blades. *See* Turbomachinery

Blok H.
Measurement of oil-film thickness between disks by electrical conductivity (D) 17
Performance characteristics of lubricating oil film between rotating disks (D). 28

Bogema, M.
Quadrant edge orifice—a fluid meter for low Reynolds numbers 729
Twin throat venturi: a new fluid flow measuring device (D) 714

Boilers. *See* Steam Superheaters

Booser, E. R.
Bearing oil-ring performance 327

Boundary Layer
Chamber dimension effects on induced flow and frictional resistance of enclosed rotating disks 217
Laminar boundary layers in oscillatory flow 593
On the three-dimensional turbulent boundary layer generated by secondary flow 233
Separation prediction for conical diffusers 201
Study of boundary-layer characteristics of turbomachine blade rows and their relation to over-all blade loss 585
Turbulent boundary layer at a plane of symmetry in a three-dimensional flow. 622

Bourdon Tubes. *See* Instruments—Pressure

Box, G. E. P.
Some general considerations in process optimization 113

Bregman, J. I.
Some corrosion effects in accelerated cavitation damage (D) 802

Brown, E. A.
Pressure oscillations in a water-cooled nuclear reactor induced by water-hammer waves 901

Bulk Modulus. *See* Oil Fuel, Sonic Velocity

Bursting Tests
Burst strengths and deformations of welded composite turbine wheels as related to weld quality and plasticity calculations 695

C

Cameron, A.
Measurement of oil-film thickness in gear teeth 29

Carter, Thomas L.
Effect of hardness, surface finish, and grain size on rolling-contact fatigue life of M-50 bearing steel (D) 294

Cathodic Protection. *See* Cavitation

Cavitation
Cavitation effect on the discharge coefficient of the sharp-edged orifice plate .. 1
Cavitation problems in cryogenics 756
Correlation of cavitation inception data for a centrifugal pump operating in water and in sodium-potassium alloy (NaK) 821
Effect of air content on the occurrence of cavitation 941
Experimental study of cavitation in a mixed flow pump impeller 929
Inception of cavitation on isolated surface irregularities 169
Indentation of metals by cavitation 194
On cathodic protection in cavitation damage 808
Selection of length and head scales for cavitation tests 784
Some corrosion effects in accelerated cavitation damage 795

Chang, S. S. L.
Shannon's theory and feedback systems. 46

Charnes, A.
Flow parameters in hydrostatic lubrication for several bearing shapes 257

Chemical Processes
Some general considerations in process optimization 113

Cheng, Sin-I
Laminar boundary layers in oscillatory flow (D) 607

Clark, John A.
Unsteady transfer of momentum and heat between concentric cylinders (D). 215

Coffin, L. F., Jr.
Stability of metals under cyclic plastic strain 671

(D) denotes discussion of a paper.

COLES, DONALD
On the three-dimensional turbulent boundary layer generated by secondary flow (D) 246

COMMUNICATION
New approach to linear filtering and prediction problems 35
Shannon's theory and feedback systems 46

COMPRESSORS
Crossover systems between the stages of centrifugal compressors 155
Incidence and deviation-angle correlations for compressor cascades 575
Supersonic diffusers for radial and mixed flow compressors 973

CONCORDIA, C.
Dynamics of heat exchangers and their models (D) 500

CONFORMAL MAPPING
Flow parameters in hydrostatic lubrication for several bearing shapes 257

COPPAGE, J. E.
Flow phenomena of partially enclosed rotating disks (D) 549

CORROSION. *See* CAVITATION

COULTER, E. E.
Effect of wall thickness on stress-rupture life of tubular specimens 465

CRACK PROPAGATION. *See* STRESSES AND STRAINS

CREEP OF MATERIALS. *See* METAL CREEP

CRYOGENICS. *See* LOW-TEMPERATURE RESEARCH

CYCLIC LOADING. *See* PIPE AND PIPING

CYLINDERS
Steady-state creep of a thick-walled cylinder under combined axial load and internal pressure 689

D

DARNEY, M. J.
Study of viscosity effect and its compensation on turbine-type flowmeters (D) 725

DAHL, NORMAN C.
Analysis of axially loaded annular shells with applications to welded bellows (D) 753

DAILY, J. W.
Chamber dimension effects on induced flow and frictional resistance of enclosed rotating disks 217
Flow phenomena of partially enclosed rotating disks (D) 550
Roughness effects on frictional resistance of enclosed rotating disks 553

DALLENBACH, F.
Supersonic diffusers for radial and mixed flow compressors 973

DANEL, PIERRE
Selection of length and head scales for cavitation tests 784

DAVIS, E. A.
Creep rupture tests for design of high-pressure steam equipment 453

DEAK, G.
Flow phenomena of partially enclosed rotating disks 539

DEAN, R. C., JR.
Crossover systems between the stages of centrifugal compressors (D) 167
Rotating wakes in vaneless diffusers 563

DECHAENE, R.
Use of the Moiré effect to measure plastic strains 426

DEFORMATION. *See also* BURSTING TESTS
Analysis of axially loaded annular shells with applications to welded bellows 741
Use of the Moiré effect to measure plastic strains 426

DELLEUR, J. W.
Accelerations and mean trajectories in turbulent channel flow (D) 968

DEMELLO, F. P.
Dynamics of heat exchangers and their models (D) 500

DIFFUSERS
Jet pump design theory 947
Rotating wakes in vaneless diffusers 563
Separation prediction for conical diffusers 201
Shock-tube technique to determine steady-flow losses of orifices and other duct elements 195
Supersonic diffusers for radial and mixed flow compressors 973
Two-dimensional flow with standing vortexes in ducts and diffusers 921

(D) denotes discussion of a paper.

DISKS. *See* FLOW OF FLUIDS, FLUID MECHANICS, LUBRICATION

DOWDELL, RODGER B.
Twin throat venturi: a new fluid flow measuring device (D) 714

DRUTOWSKI, RICHARD C.
Effect of ball bearing steel structure on rolling friction and contact plastic deformation 302

DUPORT, JACQUES
Selection of length and head scales for cavitation tests 784

DUSSOURD, JULES L.
Two-dimensional flow with standing vortexes in ducts and diffusers (D) 928

DYNAMICS
General theory for elastically constrained ball and radical roller bearings under arbitrary load and speed conditions 309

E

EBERLE, F.
Fabrication and annealing factors affecting grain size of 18Cr8Ni–Ti superheater materials in steam boilers 855

EDMONSON, G. V.
Fluid engineering laboratory at the University of Michigan 251

EDUCATION
Fluid engineering laboratory at the University of Michigan 251

EGLI, A.
General method for correlating labyrinth-seal leak-rate data (D) 272

EICHENBERGER, H. P.
Roughness effects on frictional resistance of enclosed rotating disks (D) 561

ELASTICITY. *See* ANTIFRICTION BEARINGS

EL KOUH, A. F.
Experimental determination of statistical properties of two-phase turbulent motion 609

ELLIS, GAYLORD O.
Crossover systems between the stages of centrifugal compressors 155
Rotating wakes in vaneless diffusers (D) 570

EL-SISI, S. I.
Measurement of oil-film thickness between disks by electrical conductivity 12
Performance characteristics of lubricating oil film between rotating disks 19

ELWELL, RICHARD C.
Flow parameters in hydrostatic lubrication for several bearing shapes (D) 264
Theoretical and experimental analysis of hydrostatic thrust bearings 505

ENDEAN, HOWARD J.
Study of viscosity effect and its compensation on turbine-type flowmeters (D) 725

ENGINEERING
Fluid engineering laboratory at the University of Michigan 251

EROSION. *See* CAVITATION

EVANS, D. J.
Quadrant edge orifice—a fluid meter for low Reynolds numbers (D) 733

EVANS, NORMAN A.
Laminar boundary layers in oscillatory flow (D) 607

EXLINE, PAUL G.
Bourdon tube deflection characteristics 887

EXTRAPOLATION. *See* GRAPHIC METHODS

F

FABRI, J.
Ejector-nozzle flow and thrust (D) 129

FARQUHAR, J.
Experimental study of cavitation in a mixed flow pump impeller 929

FAULDERS, C. R.
Supersonic diffusers for radial and mixed flow compressors (D) 979

FEDOR, J. V.
Sommerfeld solution for finite bearings with circumferential groves 321

FEEDBACK. *See* AUTOMATIC CONTROL

FELGAR, R. P.
Low-cycle fatigue of two nickel-base alloys by thermal-stress cycling 661

FELSENTHAL, H. D.
Estimating the roots of the characteristic determinant for multicoupled systems 87

FILBAN, T. J.
Small-diameter-orifice metering 735

FILMS. *See* LUBRICATION

FILTERING. *See* AUTOMATIC CONTROL

FINNIE, IAIN
Steady creep of a tube under combined bending and internal pressure 462
Steady-state creep of a thick-walled cylinder under combined axial load and internal pressure 689

FLOM, D. G.
Effect of ball bearing steel structure on rolling friction and contact plastic deformation (D) 307

FLOW OF FLUIDS. *See also* BOUNDARY LAYER, CAVITATION, FLUID FRICTION, FLUID MECHANICS, NOZZLES, PUMPS—JET, VALVES
Accelerations and mean trajectories in turbulent channel flow 961
Crossover systems between the stages of centrifugal compressors 155
Experimental determination of statistical properties of two-phase turbulent motion 609
Flow phenomena of partially enclosed rotating disks 539
Pressure losses in smooth pipe bends 131
Radial distributions of temporal-mean peripheral velocity and pressure for fully developed turbulent flow in curved channels 528
Rotating wakes in vaneless diffusers 563
Shock-tube technique to determine steady-flow losses of orifices and other duct elements 195
Two-dimensional flow with standing vortexes in ducts and diffusers 921

FLUID FRICTION
Roughness effects on frictional resistance of enclosed rotating disks 553

FLUID MECHANICS
Chamber dimension effects on induced flow and frictional resistance of enclosed rotating disks 217
Response of a pressure-sensing system 482

FLUID METERS. *See also* VALVES
Cavitation effect on the discharge coefficient of the sharp-edged orifice plate 1
Heat-transfer characteristics of hot-film sensing element used in flow measurement 629
Quadrant edge orifice—a fluid meter for low Reynolds numbers 729
Shock-tube technique to determine steady-flow losses of orifices and other duct elements 195
Small-diameter-orifice metering 735
Study of viscosity effect and its compensation on turbine-type flowmeters 717
Twin throat venturi: a new fluid flow measuring device 710
Variable flow resistance with adjustable multihole orifice plates in series 645

FOA, JOSEPH V.
Rotating wakes in vaneless diffusers (D) 570

FOSTER, WILLIAM P.
General method for correlating labyrinth-seal leak-rate data (D) 273

FRACTURE. *See* METAL TESTING, METAL TESTING—FATIGUE

FRASER, HARVEY R.
Separation prediction for conical diffusers 201

FRICTION
Effect of ball bearing steel structure on rolling friction and contact plastic deformation 302
Friction characteristics of sliding surfaces undergoing subsurface plastic flow 342
Importance of spinning friction in thrust-carrying ball bearings 295
Note on the influence of elastic compliance on sliding friction in ball bearings 899

FRIEDMAN, MARTIN, JR.
On cathodic protection in cavitation damage (D) 819

FUCHS, H. O.
Cycle dependent stress relaxation of A-286 alloy (D) 658

FUX, A.
Dynamic response and control of multipass heat exchangers (D) 60

G

GAROFALO, F.
Survey of various special tests used to determine elastic, plastic, and rupture properties of metals at elevated temperatures 867

GARUDACHAR, B. N.
Roll-force and torque coefficients for hot-strip steel mill 683

GAS LUBRICATION. *See* BEARINGS, LUBRICATION

GAS TURBINES. *See also* INSTRUMENTS—TEMPERATURE
Burst strengths and deformations of welded composite turbine wheels as related to weld quality and plasticity calculations ... 695

GATCOMBE, E. K.
Measurement of oil-film thickness in gear teeth (D) ... 34

GEARS
Measurement of oil-film thickness between disks by electrical conductivity ... 12
Measurement of oil-film thickness in gear teeth ... 29
Performance characteristics of lubricating oil film between rotating disks ... 19

GILMAN, FREDERICK C.
Rotating wakes in vaneless diffusers (D) ... 571

GOLDBERG, E. M.
Estimating the roots of the characteristic determinant for multicoupled systems ... 87

GOLDHOFF, ROBERT M.
Some observations on the extrapolation of high-temperature ferritic steel data ... 848

GRAIN SIZE. *See* BEARINGS, METALLURGY

GRANT, NICHOLAS J.
Creep-rupture properties of 80 Ni-20 Cr alloys ... 829
Role of atmosphere in the creep-rupture behavior of 80 Ni-20 Cr alloys ... 882

GRAPHIC METHODS
Extrapolation of families of curves by recurrence relations, with application to creep-rupture data ... 839
Some observations on the extrapolation of high-temperature ferritic steel data ... 848

GRIFFIN, W. A.
Small-diameter-orifice metering ... 735

GRINDELL, A. G.
Correlation of cavitation inception data for a centrifugal pump operating in water and in sodium-potassium alloy (NaK) ... 821

GROCHOWSKI, F. A.
Variable flow resistance with adjustable multihole orifice plates in series ... 645

GROSS, W. A.
Hydrostatic gas bearings (D) ... 285

GUMAN, WILLIAM J.
Rotating wakes in vaneless diffusers (D) ... 571

H

HAGEL, W. C.
Thermocouple system for measuring turbine-inlet temperatures ... 81

HANSEN, ARTHUR G.
On the three-dimensional turbulent boundary layer generated by secondary flow (D) ... 247

HANSEN, P. D.
Dynamic response and control of multipass heat exchangers (D) ... 60

HARDING, W. L.
Effect of wall thickness on stress-rupture life of tubular specimens (D) ... 474

HARDNESS. *See* BEARINGS

HAUGHTON, C. B., JR.
Small-diameter-orifice metering (D) ... 738
Twin throat venturi: a new fluid flow measuring device (D) ... 714

HEAD, V. P.
Small-diameter-orifice metering (D) ... 739

HEAT-EXCHANGE EQUIPMENT
Dynamic response and control of multipass heat exchangers ... 51
Dynamics of heat exchangers and their models ... 489

HEAT TRANSFER
Heat-transfer characteristics of hot-film sensing element used in flow measurement ... 629
Human body as an inconstant heat source and its relation to determination of clothes insulation.
Part 1—Descriptive models of the heat source ... 96
Part 2—Experimental investigation into dynamics of the source ... 103
Precise measurement of clothes insulation during controlled operation of the human ... 513
Unsteady transfer of momentum and heat between concentric cylinders ... 210

HEAT-TREATMENT
Fabrication and annealing factors affecting grain size of 18Cr8Ni-Ti superheater materials in steam boilers ... 855

HEFFNER, F. E.
General method for correlating labyrinth-seal leak-rate data ... 265

HEMPEL, ARVID
Dynamics of heat exchangers and their models (D) ... 501

HENRY, R. M.
On cathodic protection in cavitation damage (D) ... 818

HERBET, M. D.
Measurement of oil-film thickness between disks by electrical conductivity (D) ... 17

HETÉNYI, M.
Analysis of axially loaded annular shells with applications to welded bellows ... 741

HIGH-TEMPERATURE RESEARCH
Survey of various special tests used to determine elastic, plastic, and rupture properties of metals at elevated temperatures ... 867

HILL, P. G.
Laminar boundary layers in oscillatory flow ... 593

HOBBS, J. M.
Some corrosion effects in accelerated cavitation damage (D) ... 803

HOLCOMB, L. A.
Small-diameter-orifice metering (D) ... 739

HOLL, J. W.
Effect of air content on the occurrence of cavitation ... 941
Experimental study of cavitation in a mixed flow pump impeller (D) ... 940
Inception of cavitation on isolated surface irregularities ... 169

HOLM, RAGNAR
Measurement of oil-film thickness between disks by electrical conductivity (D) ... 17

HOLMS, A. G.
Burst strengths and deformations of welded composite turbine wheels as related to weld quality and plasticity calculations ... 695

HOWELL, J. D.
Analysis of axially loaded annular shells with applications to welded bellows (D) ... 753

HUG, M.
Review of surge-tank stability criteria (D) ... 775

HULL, E. H.
Control of oil whip frequency ratio ... 894

HYDRAULICS. *See* FLOW OF FLUIDS, FLUID MECHANICS, WATER HAMMER

HYDROCARBONS. *See* OIL FUEL

HYDRODYNAMICS. *See also* CAVITATION, LUBRICATION
Elastic and damping properties of cylindrical journal bearings (addendum) ... 249

HYDROFOILS
Effect of air content on the occurrence of cavitation ... 941

I

IBERALL, A. S.
Human body as an inconstant heat source and its relation to determination of clothes insulation.
Part 1—Descriptive models of the heat source ... 96
Part 2—Experimental investigation into dynamics of the source ... 103
Precise measurement of clothes insulation during controlled operation of the human ... 513

IHNAT, M. E.
Thermocouple system for measuring turbine-inlet temperatures ... 81

IHRIG, H. K., JR.
Experimental determination of statistical properties of two-phase turbulent motion ... 609

INCLUSIONS. *See* STEEL ALLOYS

INFORMATION THEORY. *See* AUTOMATIC CONTROL, COMMUNICATION

INSTRUMENTS—MEASURING
Measurement of oil-film thickness between disks by electrical conductivity ... 12
Measurement of oil-film thickness in gear teeth ... 29
Performance characteristics of lubricating oil film between rotating disks ... 19

INSTRUMENTS—PRESSURE
Bourdon tube deflection characteristics ... 887
Response of a pressure-sensing system ... 482

INSTRUMENTS—TEMPERATURE
Thermocouple system for measuring turbine-inlet temperatures ... 81

INSTRUMENTS—VISCOSITY
Adiabatic bulk modulus of normal paraffin hydrocarbons from hexane to hexadecane ... 635

IRMAY, S.
Accelerations and mean trajectories in turbulent channel flow ... 961

IRWIN, G. R.
Fracture mode transition for a crack traversing a plate ... 417

ITÓ, H.
Pressure losses in smooth pipe bends ... 131

J

JACOBS, R. B.
Cavitation problems in cryogenics ... 756

JAEGER, CHARLES
Review of surge-tank stability criteria ... 765

JOHANSSON, S. A.
Study of viscosity effect and its compensation on turbine-type flowmeters (D) ... 726

JOHNSON, G. DUGAN
Selection of length and head scales for cavitation tests (D) ... 790

JOHNSON, K. L.
Note on the influence of elastic compliance on sliding friction in ball bearings ... 899

JOHNSTON, JAMES P.
On the three-dimensional turbulent boundary layer generated by secondary flow ... 233
Turbulent boundary layer at a plane of symmetry in a three-dimensional flow ... 622

JONES, A. B.
General theory for elastically constrained ball and radial roller bearings under arbitrary load and speed conditions ... 309

K

KALINSKE, A. A.
Twin throat venturi: a new fluid flow measuring device ... 710

KALMAN, R. E.
Control system analysis and design via the "second method" of Lyapunov
I. Continuous-time systems ... 371
II. Discrete-time systems ... 394
New approach to linear filtering and prediction problems ... 35

KARDOS, G.
Bourdon tube deflection characteristics (D) ... 893

KARLBY, HENNING
Study of viscosity effect and its compensation on turbine-type flowmeters ... 717

KARLSSON, STURE K. F.
Laminar boundary layers in oscillatory flow (D) ... 607

KERR, S. LOGAN
Indentation of metals by cavitation (D) ... 193

KIM, W. H.
General flow graph technique for the solution of multiloop sampled systems ... 360

KIRKPATRICK, E. T.
Viscous dispersion in water hammer ... 759

KLINE, S. J.
Accelerations and mean trajectories in turbulent channel flow (D) ... 970
Heat-transfer characteristics of hot-film sensing elements used in flow measurement ... 633

KOOISTRA, L. F.
Effect of wall thickness on stress-rupture life of tubular specimens ... 465

KRAFT, H.
Laminar boundary layers in oscillatory flow (D) ... 607

KRANC, G. M.
General flow graph technique for the solution of multiloop sampled systems ... 360

KREITH, FRANK
Chamber dimension effects on induced flow and frictional resistance of enclosed rotating disks (D) ... 230
Flow phenomena of partially enclosed rotating disks ... 539
Radial distributions of temporal-mean peripheral velocity and pressure for fully developed turbulent flow in curved channels (D) ... 536

(D) denotes discussion of a paper.

Kuo, Benjamin C.
General flow graph technique for the solution of multiloop sampled systems (D) ... 366

L

LaQue, F. L.
Some corrosion effects in accelerated cavitation damage (D) ... 803
Laub, John H.
Elastic orifices for gas bearings ... 980
Hydrostatic gas bearings ... 276
Leaded Steel. *See* Steel Alloys
Lee, S.-Y.
Design and analysis of a servovalve with flow feedback ... 73
Lee, W. F. Z.
Study of viscosity effect and its compensation on turbine-type flowmeters ... 717
Lees, S.
Estimating the roots of the characteristic determinant for multicoupled systems ... 87
Le Grives, E.
Ejector-nozzle flow and thrust (D) ... 129
Leith, W. C.
Indentation of metals by cavitation (D) ... 193
Some corrosion effects in accelerated cavitation damage ... 795
Lemmon, D. C.
Bearing oil-ring performance ... 327
Lendaris, George G.
General flow graph technique for the solution of multiloop sampled systems (D) ... 367
Levens, A. S.
Adiabatic bulk modulus of normal paraffin hydrocarbons from hexane to hexadecane (D) ... 643
Lewis, Paul
Importance of spinning friction in thrust-carrying ball bearings (D) ... 301
Lichtman, J. Z.
Some corrosion effects in accelerated cavitation damage (D) ... 804
Lieberman, P.
Pressure oscillations in a water-cooled nuclear reactor induced by water-hammer waves ... 901
Lieblein, Seymour
Incidence and deviation-angle correlations for compressor cascades ... 575
Ling, S. C.
Heat-transfer characteristics of hot-film sensing element used in flow measurement ... 629
Loeb, Alfred M.
Theoretical and experimental analysis of hydrostatic thrust bearings (D) ... 511
London, A. L.
Dynamics of heat exchangers and their models (D) ... 502
Low-Temperature Research
Cavitation problems in cryogenics ... 756
Lubrication
Bearing oil-ring performance ... 327
Control of oil whip frequency ratio ... 894
Flow parameters in hydrostatic lubrication for several bearing shapes ... 257
Hydrostatic gas bearings ... 276
Measurement of oil-film thickness in gear teeth ... 29
Measurement of oil-film thickness between disks by electrical conductivity ... 12
Performance characteristics of lubricating oil film between rotating disks ... 19
Sommerfeld solution for finite bearings with circumferential groves ... 321
Torque produced by misalignment of hydrodynamic gas-lubricated journal bearings ... 335
Unsteady transfer of momentum and heat between concentric cylinders ... 210
Lundquist, Daniel
Effect of hardness, surface finish, and grain size on rolling-contact fatigue life of M-50 bearing steel (D) ... 294

M

McCaig, I. W.
Review of surge-tank stability criteria (D) ... 777
McClintock, Frank A.
Fracture mode transition for a crack traversing a plate (D) ... 423
MacConochie, I. O.
Measurement of oil-film thickness in gear teeth ... 29
McGahan, W. A.
Crossover systems between the stages of centrifugal compressors (D) ... 167
Machining. *See* Metal Cutting
Mager, Artur
On the three-dimensional turbulent boundary layer generated by secondary flow (D) ... 247
Magnetostriction
Some corrosion effects in accelerated cavitation damage ... 795
Mains, R. M.
Generalization of cumulative damage ... 435
Majors, Harry, Jr.
Low-cycle fatigue of two nickel-base alloys by thermal-stress cycling (D) ... 670
Makris, J. S.
Fabrication and annealing factors affecting grain size of 18Cr8Ni–Ti superheater materials in steam boilers ... 855
Mamin, Pierre A.
Friction characteristics of sliding surfaces undergoing subsurface plastic flow ... 342
Manjoine, M. J.
Effect of relaxation on the behavior of materials under combined alternating and static stress (D) ... 445
Some observations on the extrapolation of high-temperature ferritic steel data (D) ... 854
Survey of various special tests used to determine elastic, plastic, and rupture properties of metals at elevated temperatures (D) ... 880
Manson, S. S.
Extrapolation of families of curves by recurrence relations, with application to creep-rupture data ... 839
Maroti, L. A.
Flow phenomena of partially enclosed rotating disks ... 539
Marris, A. W.
Radial distributions of temporal-mean peripheral velocity and pressure for fully developed turbulent flow in curved channels ... 528
Review of surge-tank stability criteria (D) ... 776
Martin, K. B.
Cavitation problems in cryogenics ... 756
Masubuchi, Masami
Dynamic response and control of multipass heat exchangers ... 51
Mathematics
Control system analysis and design via the "second method" of Lyapunov
I. Continuous-time systems ... 371
II. Discrete-time systems ... 394
Dynamic response and control of multipass heat exchangers ... 51
Estimating the roots of the characteristic determinant for multicoupled systems ... 87
General flow graph technique for the solution of multiloop sampled systems ... 360
General theory for elastically constrained ball and radial roller bearings under arbitrary load and speed conditions ... 309
New approach to linear filtering and prediction problems ... 35
On the three-dimensional turbulent boundary layer generated by secondary flow ... 233
Sommerfeld solution for finite bearings with circumferential groves ... 321
Unsteady transfer of momentum and heat between concentric cylinders ... 210
Mehringer, F. J.
Low-cycle fatigue of two nickel-base alloys by thermal-stress cycling ... 661
Mellor, G. L.
Incidence and deviation-angle correlations for compressor cascades (D) ... 584
Mendelson, A.
Extrapolation of families of curves by recurrence relations, with application to creep-rupture data ... 839
Mennell, Roy
Machining characteristics of leaded steel ... 347
Merckx, K. R.
Cyclic operation of pressure piping with γ heating ... 447
Design of pressurized cylinders for high-temperature applications (D) ... 481
Steady creep of a tube under combined bending and internal pressure (D) ... 464
Metal Creep. *See also* Metal Testing—Creep
Design of pressurized cylinders for high-temperature applications ... 477
Extrapolation of families of curves by recurrence relations, with application to creep-rupture data ... 839
Role of atmosphere in the creep-rupture behavior of 80 Ni-20 Cr alloys ... 882
Some observations on the extrapolation of high-temperature ferritic steel data ... 848
Steady creep of a tube under combined bending and internal pressure ... 462
Steady-state creep of a thick-walled cylinder under combined axial load and internal pressure ... 689
Metal Cutting
Machining characteristics of leaded steel ... 347
Metal Fatigue
General theory for elastically constrained ball and radial roller bearings under arbitrary load and speed conditions ... 309
Metal Rolling
Roll-force and torque coefficients for hot-strip steel mill ... 683
Metal Testing
Fracture mode transition for a crack traversing a plate ... 417
Survey of various special tests used to determine elastic, plastic, and rupture properties of metals at elevated temperatures ... 867
Metal Testing—Combined-Stress
Creep rupture tests for design of high-pressure steam equipment ... 453
Metal Testing—Creep. *See also* Metal Creep
Creep-rupture properties of 80 Ni-20 Cr alloys ... 829
Creep rupture tests for design of high-pressure steam equipment ... 453
Metal Testing—Fatigue
Cycle dependent stress relaxation of A-286 alloy ... 654
Effect of hardness, surface finish, and grain size on rolling-contact fatigue life of M-50 bearing steel ... 287
Effect of relaxation on the behavior of materials under combined alternating and static stress ... 441
Generalization of cumulative damage ... 435
Low-cycle fatigue of two nickel-base alloys by thermal-stress cycling ... 661
Nonmetallic inclusions and fracture behavior of steels ... 411
Stability of metals under cyclic plastic strain ... 671
Metal Testing—Internal-Pressure. *See also* Metal Creep
Effect of wall thickness on stress-rupture life of tubular specimens ... 465
Metal Testing—Tension
Relations between the notch tensile strength of cylindrical and prismatic specimens of titanium alloys and heat-treated steel ... 401
Metallurgy
Fabrication and annealing factors affecting grain size of 18Cr8Ni–Ti superheater materials in steam boilers ... 855
Survey of various special tests used to determine elastic, plastic, and rupture properties of metals at elevated temperatures ... 867
Metals
Indentation of metals by cavitation ... 184
Meyfarth, Philip F.
Bang-bang versus linear control of second-order rate-type servomotor ... 66
Mikus, Ernie B.
Effect of ball bearing steel structure on rolling friction and contact plastic deformation ... 302
Miller, D. R.
Cyclic operation of pressure piping with γ heating (D) ... 452
Miller, J. A.
Heat-transfer characteristics of hot-film sending elements used in flow measurement (D) ... 634
Models
Selection of length and head scales for cavitation tests ... 784
Moiré Effect. *See* Deformation
Molnar, G. W.
Precise measurement of clothes insulation during controlled operation of the human (D) ... 524
Monkmeyer, P. L.
Quadrant edge orifice—a fluid meter for low Reynolds numbers ... 729
Morrow, JoDean
Cycle-dependent stress relaxation of A-286 alloy ... 654

(D) denotes discussion of a paper.

MURPHY, J. S.
Experimental study of cavitation in a mixed flow pump impeller..... 929

N

NECE, R. E.
Chamber dimension effects on induced flow and frictional resistance of enclosed rotating disks..... 217
Flow phenomena of partially enclosed rotating disks (D)..... 550
Roughness effects on frictional resistance of enclosed rotating disks..... 553
NETSCH, H.
Review of surge-tank stability criteria (D)..... 777
NONFERROUS ALLOYS
Creep-rupture properties of 80 Ni-20 Cr alloys..... 839
Role of atmosphere in the creep-rupture behavior of 80 Ni-20 Cr alloys..... 882
NONLINEAR SYSTEMS
Control system analysis and design via the "second method" of Lyapunov I. Continuous-time systems..... 371
NOTCH TESTING. *See* METAL TESTING—TENSION
NOZZLES
Ejector-nozzle flow and thrust..... 120
NUMACHI, F.
Cavitation effect on the discharge coefficient of the sharp-edged orifice plate 1
Selection of length and head scales for cavitation tests (D)..... 791

O

ŌBA, R.
Cavitation effect on the discharge coefficient of the sharp-edged orifice plate 1
OIL FUEL
Adiabatic bulk modulus of normal paraffin hydrocarbons from hexane to hexadecane..... 635
OIL RINGS. *See* LUBRICATION
OIL WHIP. *See* LUBRICATION
OPTIMIZATION. *See* AUTOMATIC CONTROL
ORIFICES. *See* FLUID METERS
OSCILLATION. *See* WATER HAMMER

P

PARKIN, BLAINE R.
Effect of air content on the occurrence of cavitation (D)..... 945
PAYNTER, HENRY M.
Pressure oscillations in a water-cooled nuclear reactor induced by water-hammer waves (D)..... 907
Pressure surges in pipelines carrying viscous liquids (D)..... 919
Review of surge-tank stability criteria (D)..... 778
Viscous dispersion in water hammer (D). 763
PECHAU, W.
Chamber dimension effects on induced flow and frictional resistance of enclosed rotating disks (D)..... 230
PETERS, MELVILLE F.
Analysis of axially loaded annular shells with applications to welded bellows (D)..... 754
PETERSON, H. A.
Roll-force and torque coefficients for hot-strip steel mill..... 683
PHOTOGRAPHY
Indentation of metals by cavitation..... 184
PHYSIOLOGY
Human body as an inconstant heat source and its relation to determination of clothes insulation.
Part 1—Descriptive models of the heat source..... 96
Part 2—Experimental investigation into dynamics of the source..... 103
Precise measurement of clothes insulation during controlled operation of the human..... 513
PINKUS, O.
Torque produced by misalignment of hydrodynamic gas-lubricated journal bearings (D)..... 340
PIPE AND PIPING
Cyclic operation of pressure piping with γ heating..... 447
PIPE BENDS
Pressure losses in smooth pipe bends.... 131
PIPELINES
Pressure surges in pipelines carrying viscous liquids..... 912
PLASTICITY. *See also* BURSTING TESTS, FRICTION
Cyclic operation of pressure piping with γ heating..... 447
Design of pressurized cylinders for high-temperature applications..... 477
Stability of metals under cyclic plastic strain..... 671
Use of the Moiré effect to measure plastic strains..... 426
PLESSET, M. S.
On cathodic protection in cavitation damage..... 808
Some corrosion effects in accelerated cavitation damage (D)..... 804
POTENSKI, ALBERT R.
Burst strengths and deformations of welded composite turbine wheels as related to weld quality and plasticity calculations (D)..... 709
POWER PLANTS—NUCLEAR. *See also* WATER HAMMER
Variable flow resistance with adjustable multihole orifice plates in series..... 645
PRAY, R. F.
Relations between the notch tensile strength of cylindrical and prismatic specimens of titanium alloys and heat-treated steel..... 401
PRESSURE SENSING SYSTEMS. *See* INSTRUMENTS—PRESSURE
PUMPS—CENTRIFUGAL
Correlation of cavitation inception data for a centrifugal pump operating in water and in sodium-potassium alloy (NaK)..... 821
Experimental study of cavitation in a mixed flow pump impeller..... 929
PUMPS—JET
Ejector-nozzle flow and thrust..... 120
Jet pump design theory..... 947

R

RAYNOR, S.
Flow parameters in hydrostatic lubrication for several bearing shapes..... 257
REICHENBACH, G. S.
Importance of spinning friction in thrust-carrying ball bearings..... 295
RELAXATION. *See* METAL TESTING—FATIGUE, STRESSES AND STRAINS
REPKO, A. J.
Burst strengths and deformations of welded composite turbine wheels as related to weld quality and plasticity calculations..... 695
RESEARCH
Fluid engineering laboratory at the University of Michigan..... 251
RHEINGANS, WM. J.
Indentation of metals by cavitation (D) 193
Selection of length and head scales for cavitation tests (D)..... 792
RICHARDSON, P. D.
Flow phenomena of partially enclosed rotating disks (D)..... 550
RINGLEB, FRIEDRICH O.
Two-dimensional flow with standing vortexes in ducts and diffusers..... 921
ROBERTSON, JAMES M.
Separation prediction for conical diffusers..... 201
ROLLING, R. E.
Adiabatic bulk modulus of normal paraffin hydrocarbons from hexane to hexadecane..... 635
ROLLING MILLS. *See* METAL ROLLING
ROSENBAUM, BURT M.
Extrapolation of families of curves by recurrence relations, with application to creep-rupture data (D)..... 846
ROSS, A. S.
Cycle-dependent stress relaxation of A-286 alloy..... 654
ROSSER, R. M.
Pressure oscillations in a water-cooled nuclear reactor induced by water-hammer waves (D)..... 908
ROULEAU, W. T.
Pressure oscillations in a water-cooled nuclear reactor induced by water-hammer waves (D)..... 908
Pressure surges in pipelines carrying viscous liquids..... 912
Viscous dispersion in water hammer..... 750
RUDINGER, GEORGE
Chamber dimension effects on induced flow and frictional resistance of enclosed rotating disks (D)..... 230
Shock-tube technique to determine steady-flow of orifices and other duct elements..... 195
RUPTURE. *See* METAL TESTING, METAL TESTING—CREEP

S

SACHS, G.
Relations between the notch tensile strength of cylindrical and prismatic specimens of titanium alloys and heat-treated steel..... 401
SALEMANN, V.
Correlation of cavitation inception data for a centrifugal pump operating in water and in sodium-potassium alloy (NaK) (D)..... 828
Some corrosion effects in accelerated cavitation damage (D)..... 805
SANDBORN, VIRGIL A.
Separation prediction for conical diffusers (D)..... 207
SCHLICHTING, H.
Chamber dimension effects on induced flow and frictional resistance of enclosed rotating disks (D)..... 230
SCHULTE-GRUNOW, F.
Chamber dimension effects on induced flow and frictional resistance of enclosed rotating disks (D)..... 231
SEALS
General method for correlating labyrinth-seal leak-rate data..... 265
SENOO, YASUTOSHI
Flow phenomena of partially enclosed rotating disks (D)..... 551
On the three-dimensional turbulent boundary layer generated by secondary flow (D)..... 248
Rotating wakes in vaneless diffusers..... 563
SERVOMECHANISMS. *See* AUTOMATIC CONTROL
SESSLER, J. G.
Relations between the notch tensile strength of cylindrical and prismatic specimens of titanium alloys and heat-treated steel..... 401
SHAFTS
Control of oil whip frequency ratio..... 894
Elastic and damping properties of cylindrical journal bearings (addendum)... 249
SHARBAUGH, J. E.
Variable flow resistance with adjustable multihole orifice plates in series..... 645
SHAW, MILTON C.
Friction characteristics of sliding surfaces undergoing subsurface plastic flow..... 342
SHAWKI, G. S. A.
Measurement of oil-film thickness between disks by electrical conductivity. 12
Performance characteristics of lubricating oil film between rotating disks..... 19
SHELLS
Analysis of axially loaded annular shells with applications to welded bellows..... 741
SHERMAN, J.
Variable flow resistance with adjustable multihole orifice plates in series..... 645
SHOCK
Generalization of cumulative damage... 435
SIDERIADES, LEFTERI
Review of surge-tank stability criteria (D)..... 778
SMITH, LEROY H., JR.
Incidence and deviation-angle correlations for compressor cascades (D)..... 585
Study of viscosity effect and its compensation on turbine-type flowmeters (D)..... 726
SMITH, R. W.
Cycle dependent stress relaxation of A-286 alloy (D)..... 659
SONIC VELOCITY
Adiabatic bulk modulus of normal paraffin hydrocarbons from hexane to hexadecane..... 635
SOO, S. L.
Chamber dimension effects on induced flow and frictional resistance of enclosed rotating disks (D)..... 231
Experimental determination of statistical properties of two-phase turbulent motion..... 609

(D) denotes discussion of a paper.

SOVRAN, GINO
Incidence and deviation-angle correlations for compressor cascades (D) 586

STATISTICAL METHODS
New approach to linear filtering and prediction problems 35
Some general considerations in process optimization 113

STEAM SUPERHEATERS
Fabrication and annealing factors affecting grain size of 18Cr8Ni-Ti superheater materials in steam boilers 855

STEEL ALLOYS
Effect of ball bearing steel structure on rolling friction and contact plastic deformation 302
Machining characteristics of leaded steel 347
Nonmetallic inclusions and fracture behavior of steels 411
Relations between the notch tensile strength of cylindrical and prismatic specimens of titanium alloys and heat-treated steel 401
Some observations on the extrapolation of high-temperature ferritic steel data 848

STENNING, A. H.
Laminar boundary layers in oscillatory flow 593

STERNLICHT, B.
Elastic and damping properties of cylindrical journal bearings (addendum) 249
Theoretical and experimental analysis of hydrostatic thrust bearings 505

STEWART, WARNER, L.
Study of boundary-layer characteristics of turbomachine blade rows and their relation to over-all blade loss 588

STONE, J. A.
Discharge coefficients and steady-state flow forces for hydraulic poppet valves 144

STRESSES AND STRAINS. *See also* BURSTING TESTS, METAL FATIGUE, METAL TESTING, PLASTICITY, SHELLS, THERMAL STRESSES
Effect of relaxation on the behavior of materials under combined alternating and static stress 441
Fracture mode transition for a crack traversing a plate 417

STROWGER, E. B.
Pressure oscillations in a water-cooled nuclear reactor induced by water-hammer waves (D) 908

SUPERSONIC FLOW. *See* DIFFUSERS

SURFACE FINISH. *See* BEARINGS

SURGE VESSELS
Review of surge-tank stability criteria ... 765

SURGES. *See* WATER HAMMER

SUSPENSIONS
Experimental determination of statistical properties of two-phase turbulent motion 609

SUTHERLAND, R. A.
Review of surge-tank stability criteria (D) 782

T

TABER, DAVID
Friction characteristics of sliding surfaces undergoing subsurface plastic flow (D) 346

TAKAHASHI, Y.
Dynamics of heat exchangers and their models (D) 502

TALLIAN, T.
General theory for elastically constrained ball and radial roller bearings under arbitrary load and speed conditions (D) 320

TATUM, S. A.
On cathodic protection in cavitation damage (D) 819

TAYLOR, E. S.
On the three-dimensional turbulent boundary layer generated by secondary flow (D) 248

TAYLOR, IRVING
Indentation of metals by cavitation (D). 193

TESTING. *See* BURSTING TESTS, FLUID MECHANICS

THAL-LARSEN, HERMAN
Dynamics of heat exchangers and their models 489

THERMAL STRESSES
Cyclic operation of pressure piping with γ heating 447
Design of pressurized cylinders for high-temperature applications 477

THOMPSON, A. LLOYD
Some corrosion effects in accelerated cavitation damage 795

TIMMS, R. J.
Analysis of axially loaded annular shells with applications to welded bellows ... 741

TITANIUM
Relations between the notch tensile strength of cylindrical and prismatic specimens of titanium alloys and heat-treated steel 401

TORQUE. *See* BEARINGS

TOU, JULIUS T.
General flow graph technique for the solution of multiloop sampled systems (D) 369

TOWNSEND, A. A.
Accelerations and mean trajectories in turbulent channel flow (D) 971

TRAEXLER, J. F.
Design of pressurized cylinders for high-temperature applications 477
Effect of wall thickness on stress-rupture life of tubular specimens (D) 474

TUBES
Creep rupture tests for design of high-pressure steam equipment 453
Effect of wall thickness on stress-rupture life of tubular specimens 465
Steady creep of a tube under combined bending and internal pressure 462

TUCKER, J. T., JR.
Effect of wall thickness on stress-rupture life of tubular specimens 465

TURBOMACHINERY
Study of boundary-layer characteristics of turbomachine blade rows and their relation to over-all blade loss 588

TURBULENCE. *See* FLOW OF FLUIDS

U

URAM, EARL M.
Separation prediction for conical diffusers (D) 207

V

VALVES
Design and analysis of a servovalve with flow feedback 73
Discharge coefficients and steady-state flow forces for hydraulic poppet valves 144

VAN DER LINGEN, T. W.
Jet pump design theory 947

VAN LE, N.
Rotating wakes in vaneless diffusers (D) 571
Supersonic diffusers for radial and mixed flow compressors 973

VENTURI METERS. *See* FLUID METERS

VIBRATION. *See also* WATER HAMMER
Generalization of cumulative damage ... 435

VINCKIER, A.
Use of the Moiré effect to measure plastic strains 426

VISCOSITY. *See also* FLUID METERS
Viscous dispersion in water hammer 759

VITOVEC, F. H.
Effect of relaxation on the behavior of materials under combined alternating and static stress 441

VOGT, C. J.
Adiabatic bulk modulus of normal paraffin hydrocarbons from hexane to hexadecane 635

VORTEXES. *See* FLOW OF FLUIDS

W

WAKES. *See* FLOW OF FLUIDS

WALKER, M. L., JR.
Viscous dispersion in water hammer 759

WARNER, P. C.
Effect of wall thickness on stress-rupture life of tubular specimens (D) 474

WATER HAMMER
Pressure oscillations in a water-cooled nuclear reactor induced by water-hammer waves 901
Pressure surges in pipelines carrying viscous liquids 912
Viscous dispersion in water hammer 759

WAVE MECHANICS. *See* WATER HAMMER

WEBER, H. E.
Ejector-nozzle flow and thrust 120

WEISS, VOLKER
Effect of relaxation on the behavior of materials under combined alternating and static stress (D) 445

WELDING. *See also* SHELLS
Burst strengths and deformations of welded composite turbine wheels as related to weld quality and plasticity calculations 605

WHEELER, W. H.
Indentation of metals by cavitation 184

WHITNEY, WARREN J.
Study of boundary-layer characteristics of turbomachine blade rows and their relation to over-all blade loss 588

WIDMER, ROBERT
Creep-rupture properties of 80 Ni-20 Cr alloys 829
Role of atmosphere in the creep-rupture behavior of 80 Ni-20 Cr alloys 882

WILBUR, STAFFORD W.
Separation prediction for conical diffusers (D) 208

WILDER, A. B.
Effect of wall thickness on stress-rupture life of tubular specimens (D) 475

WILDMANN, W.
Torque produced by misalignment of hydrodynamic gas-lubricated journal bearings (D) 340

WILLI, R. B.
Selection of length and head scales for cavitation tests (D) 792

WISLICENUS, GEORGE F.
Selection of length and head scales for cavitation tests (D) 792

WONG, ROBERT Y.
Study of boundary-layer characteristics of turbomachine blade rows and their relation to over-all blade loss 588

WOOD, G. M.
Experimental study of cavitation in a mixed flow pump impeller 929

Y

YAMABE, M.
Cavitation effect on the discharge coefficient of the sharp-edged orifice plate 1

YEH, T. H.
Relations between the notch tensile strength of cylindrical and prismatic specimens of titanium alloys and heat-treated steels 401

YIH, CHIA-SHUN
Unsteady transfer of momentum and heat between concentric cylinders 210

YUKAWA, S.
Nonmetallic inclusions and fracture behavior of steels 411

(D) denotes discussion of a paper.